

# EFTP - Tampere / Pirkkala - Tampere Pirkkala

---

## Airport details

|             |                    |
|-------------|--------------------|
| State       | Western Finland    |
| Country     | Finland            |
| Region      | EF                 |
| Elevation   | 390ft (119m)       |
| Timezone    | GMT +2             |
| Coordinates | 61.42144, 23.62761 |
| Type        | land               |
| ICAO code   | EFTP               |
| IATA code   | TMP                |
| FAA code    | n/a                |

## Runway info

|                |                             |
|----------------|-----------------------------|
| Runway 06 / 24 |                             |
| length         | 2692m (8832ft)              |
| bearing        | 77° / 257°                  |
| width          | 45m (148ft)                 |
| surface        | asphalt                     |
| blast zone     | 150m (492ft) / 150m (492ft) |

## Communication

|                                |         |
|--------------------------------|---------|
| Tampere Pirkkala ATIS          | 133.550 |
| Tampere Pirkkala ATIS          | 133.550 |
| Tampere Pirkkala ATIS          | 133.550 |
| Tampere Pirkkala ATIS          | 133.550 |
| Tampere Pirkkala Tampere radar | 127.100 |
| Tampere Pirkkala Tampere radar | 127.100 |
| Tampere Pirkkala Tampere radar | 127.100 |
| Tampere Pirkkala Tampere radar | 127.100 |
| Tampere Pirkkala PIRKKALA TWR  | 119.700 |
| Tampere Pirkkala PIRKKALA TWR  | 118.700 |
| Tampere Pirkkala PIRKKALA TWR  | 118.700 |
| Tampere Pirkkala PIRKKALA TWR  | 119.700 |
| Tampere Pirkkala PIRKKALA TWR  | 118.700 |
| Tampere Pirkkala PIRKKALA TWR  | 119.700 |
| Tampere Pirkkala PIRKKALA TWR  | 118.700 |
| Tampere Pirkkala PIRKKALA TWR  | 119.700 |
| Tampere Pirkkala PIRKKALA APP  | 119.700 |
| Tampere Pirkkala PIRKKALA APP  | 126.200 |
| Tampere Pirkkala PIRKKALA APP  | 126.200 |
| Tampere Pirkkala PIRKKALA APP  | 119.700 |
| Tampere Pirkkala PIRKKALA APP  | 126.200 |

|                               |         |
|-------------------------------|---------|
| Tampere Pirkkala PIRKKALA APP | 126.200 |
| Tampere Pirkkala PIRKKALA APP | 119.700 |
| Tampere Pirkkala PIRKKALA APP | 119.700 |

## Approach frequencies

|           |    |       |         |
|-----------|----|-------|---------|
| ILS-cat-I | 24 | 110.1 | 18.00mi |
| 3° GS     | 24 | 110.1 | 18.00mi |

## Nearby beacons

| code | identifier               | dist | bearing | frequency |
|------|--------------------------|------|---------|-----------|
| PIR  | PIRKKA (TAMPERE) VOR/DME | 1.5  | 257°    | 116.20    |
| VTI  | DME                      | 60.5 | 147.3°  | 117       |

## Departure and arrival routes

Transition altitude 5000ft

### SID end points

|        | distance | outbound direction |
|--------|----------|--------------------|
| RW06   |          |                    |
| ARBE3F | 27.7     | 77°                |
| NISV2F | 21.5     | 125°               |
| UVEM2F | 20.7     | 146°               |
| ENET2F | 20.8     | 189°               |
| EVL2F  | 27.6     | 236°               |
| NEBA2F | 29.3     | 248°               |
| XORM2F | 28.7     | 264°               |
| GEMK2F | 14.8     | 319°               |
| RW24   |          |                    |
| ARBE3E | 27.7     | 77°                |
| NISV3E | 21.5     | 125°               |
| UVEM3E | 20.7     | 146°               |
| ENET3E | 20.8     | 189°               |
| EVL3E  | 27.6     | 236°               |
| NEBA3E | 29.3     | 248°               |
| XORM3E | 28.7     | 264°               |
| GEMK3E | 14.8     | 319°               |

### STAR starting points

|        | distance | inbound direction |
|--------|----------|-------------------|
| RW06   |          |                   |
| EVL2D  | 27.6     | 56°               |
| NEBA2D | 29.3     | 68°               |
| XORM2D | 28.7     | 84°               |
| GEMK3D | 14.8     | 139°              |
| ARBE2D | 27.7     | 257°              |
| NISV2D | 21.5     | 305°              |

|      |        |      |      |
|------|--------|------|------|
| RW24 | UVEM2D | 20.7 | 326° |
|      | EVL2C  | 27.6 | 56°  |
|      | NEBA2C | 29.3 | 68°  |
|      | XORM2C | 28.7 | 84°  |
|      | GEMK3C | 14.8 | 139° |
|      | ARBE2C | 27.7 | 257° |
|      | NISV2C | 21.5 | 305° |
|      | UVEM2C | 20.7 | 326° |

## Holding patterns

| STAR name | hold at | type | turn  | heading*   | altitude | leg          | speed limit |
|-----------|---------|------|-------|------------|----------|--------------|-------------|
| ARBE2C    | LEDGU   | VHF  | right | 55 (235)°  | > 2700ft | 1.0min timed | 230         |
| ARBE2D    | OLNEG   | VHF  | left  | 325 (145)° | > 2700ft | 1.0min timed | 230         |
| EVL2C     | LEDGU   | VHF  | right | 55 (235)°  | > 2700ft | 1.0min timed | 230         |
| EVL2D     | OLNEG   | VHF  | left  | 325 (145)° | > 2700ft | 1.0min timed | 230         |
| GEMK3C    | LEDGU   | VHF  | right | 55 (235)°  | > 2700ft | 1.0min timed | 230         |
| GEMK3D    | OLNEG   | VHF  | left  | 325 (145)° | > 2700ft | 1.0min timed | 230         |
| NEBA2C    | LEDGU   | VHF  | right | 55 (235)°  | > 2700ft | 1.0min timed | 230         |
| NEBA2D    | OLNEG   | VHF  | left  | 325 (145)° | > 2700ft | 1.0min timed | 230         |
| NISV2C    | LEDGU   | VHF  | right | 55 (235)°  | > 2700ft | 1.0min timed | 230         |
| NISV2D    | OLNEG   | VHF  | left  | 325 (145)° | > 2700ft | 1.0min timed | 230         |
| UVEM2C    | LEDGU   | VHF  | right | 55 (235)°  | > 2700ft | 1.0min timed | 230         |
| UVEM2D    | OLNEG   | VHF  | left  | 325 (145)° | > 2700ft | 1.0min timed | 230         |
| XORM2C    | LEDGU   | VHF  | right | 55 (235)°  | > 2700ft | 1.0min timed | 230         |
| XORM2D    | OLNEG   | VHF  | left  | 325 (145)° | > 2700ft | 1.0min timed | 230         |

\*) magnetic outbound (inbound) holding course

## Disclaimer

The information on this website is not for real aviation. Use this data with the X-Plane flight simulator only! Data taken with kind consent from X-Plane source code and data files. Content is subject to change without notice.

## To be used with X-Plane simulation only