

KHHR - Hawthorne - Northrop Field/ Hawthorne Muni

Airport details

State	California
Country	United States of America
Region	K2
Elevation	62ft (19m)
Timezone	GMT -8
Coordinates	33.92347, -118.33588
Type	land
ICAO code	KHHR
IATA code	HHR
FAA code	HHR

Runway info

Runway 7 / 25	
length	1489m (4885ft)
bearing	87° / 267°
width	30m (100ft)
surface	asphalt
displacement threshold	276m (906ft) / 142m (466ft)
blast zone	23m (75ft) / 23m (75ft)

Communication

Northrop Field/ Hawthorne Muni ATIS	118.400
Northrop Field/ Hawthorne Muni ATIS	118.400
Northrop Field/ Hawthorne Muni ATIS	118.400
Northrop Field/ Hawthorne Muni ATIS	118.400
Northrop Field/ Hawthorne Muni CTAF	121.100
Northrop Field/ Hawthorne Muni CTAF	121.100
Northrop Field/ Hawthorne Muni CTAF	121.100
Northrop Field/ Hawthorne Muni CTAF	121.100
Northrop Field/ Hawthorne Muni GND	125.100
Northrop Field/ Hawthorne Muni GND	125.100
Northrop Field/ Hawthorne Muni GND	125.100
Northrop Field/ Hawthorne Muni GND	125.100
Northrop Field/ Hawthorne Muni TWR	121.100
Northrop Field/ Hawthorne Muni TWR	121.100
Northrop Field/ Hawthorne Muni TWR	121.100

Northrop Field/ Hawthorne Muni TWR	121.100
Northrop Field/ Hawthorne Muni	124.300
SOCAL APP	
Northrop Field/ Hawthorne Muni	128.500
SOCAL APP	
Northrop Field/ Hawthorne Muni	124.900
SOCAL APP	
Northrop Field/ Hawthorne Muni	125.200
SOCAL APP	
Northrop Field/ Hawthorne Muni	125.200
SOCAL APP	
Northrop Field/ Hawthorne Muni	128.500
SOCAL APP	
Northrop Field/ Hawthorne Muni	124.900
SOCAL APP	
Northrop Field/ Hawthorne Muni	124.300
SOCAL APP	
Northrop Field/ Hawthorne Muni	124.900
SOCAL APP	
Northrop Field/ Hawthorne Muni	125.200
SOCAL APP	
Northrop Field/ Hawthorne Muni	128.500
SOCAL APP	
Northrop Field/ Hawthorne Muni	124.300
SOCAL APP	
Northrop Field/ Hawthorne Muni	124.900
SOCAL APP	
Northrop Field/ Hawthorne Muni	125.200
SOCAL APP	
Northrop Field/ Hawthorne Muni	128.500
SOCAL APP	
Northrop Field/ Hawthorne Muni	124.300
SOCAL APP	
Northrop Field/ Hawthorne Muni	124.300
SOCAL DEP	
Northrop Field/ Hawthorne Muni	124.300
SOCAL DEP	
Northrop Field/ Hawthorne Muni	124.300
SOCAL DEP	
Northrop Field/ Hawthorne Muni	124.300
SOCAL DEP	

Approach frequencies

LOC	25	109.1	18.00mi
-----	----	-------	---------

Nearby beacons

code	identifier	dist	bearing	frequency
LAX	LOS ANGELES VORTAC	4.8	275.7°	113.60

SMO	SANTA MONICA VOR/DME	7.9	305.6°	110.80
SLI	SEAL BEACH (LOS ALAMITOS) VORTAC	16.3	116.5°	115.70
VNY	VAN NUYS VOR/DME	19.6	332.5°	113.10
POM	POMONA VORTAC	28.8	74.2°	110.40
SXC	SANTA CATALINA VORTAC	33.2	188.7°	111.40
ELB	EL TORO (SANTA ANA) VOR/DME	33.6	112.2°	117.20
VTU	VENTURA (OXNARD) VOR/DME	37.3	285°	108.20
FIM	FILLMORE VORTAC	37.5	308.4°	112.50
PDZ	PARADISE (ONTARIO) VORTAC	40.1	90.3°	112.20
NTD	POINT MUGU (OXNARD) TACAN	40.9	284.2°	110.60
CMA	CAMARILLO VOR/DME	41.5	290.8°	115.80
RAL	RIVERSIDE VOR	44.1	87.9°	112.40
PMD	PALMDALE VORTAC	44.6	21°	114.50
LHS	LAKE HUGHES VORTAC	47.1	342.3°	114.35
SB	PETIS (SAN BERNARDINO) NDB	48.9	82.1°	397
NUC	SAN CLEMENTE TACAN	55.2	195.2°	117.60
GMN	GORMAN VORTAC	58.9	329.1°	116.10
NFG	CAMP PENDLETON (OCEANSIDE) TACAN	61.4	124.3°	111.80
OCN	OCEANSIDE VORTAC	61.5	126.6°	115.30
VCV	VICTORVILLE VOR/DME	61.8	54.6°	109.05

Departure and arrival routes

Transition altitude	18000ft
Transition level	18000ft

STAR starting points	distance	inbound direction
ALL		
RYDRR2	39.4	110°
IRNMN2	34.1	121°

Holding patterns

STAR name	hold at	type	turn	heading*	altitude	leg	speed limit
IRNMN2	BAYST	VHF	left	283 (103)°		DME 10.0mi	ICAO rules
IRNMN2	GRIPR	VHF	left	312 (132)°		DME 10.0mi	ICAO rules
RYDRR2	BAYST	VHF	left	283 (103)°		DME 10.0mi	ICAO rules
RYDRR2	EESSA	VHF	left	226 (46)°		DME 16.0mi	ICAO rules
RYDRR2	HUULL	VHF	left	255 (75)°		DME 16.0mi	ICAO rules
RYDRR2	RYDRR	VHF	left	259 (79)°		DME 10.0mi	ICAO rules

*) magnetic outbound (inbound) holding course

Disclaimer

The information on this website is not for real aviation. Use this data with the X-Plane flight simulator only! Data taken with kind consent from X-Plane source code and data files. Content is subject to change without notice.

To be used with X-Plane simulation only